Product Multi Surface Cleaner with biocide

Revision date 26 February 2021

Revision



Safety Data Sheet (SDS)

according to Regulation (EC) No. 1907/2006

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Multi Surface Cleaner with biocide

HM102BAC Product no.

Other means of identification No information available.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent

For professional use only.

Uses advised against No uses advised against are identified.

1.3 Details of the supplier of the safety data sheet

Supplier Kitchenmaster NI Ltd

11 Comber Road

Belfast BT8 8AN United Kingdom Tel: 028 90814777

Contact person sales@kitchenmaster-ni.com

1.4 Emergency telephone number

Emergency Telephone Number: 028 9081 4777 08:30 - 17:00 Monday to Thursday 08:30 -**Emergency telephone**

16:30 Friday

Section 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and chemical hazards Not classified Human health Not classified

Environment Aquatic Chronic 3 - H412

2.2 Label elements

Contains Not applicable **Detergent labeling** <5% phosphonates

<5% non-ionic surfactants

Label in accordance with (EC) no.

1272/2008

No pictogram required

Signal word No Signal Word

Hazard statements H412 Harmful to aquatic life with long lasting effects.

Precautionary statements Prevention

P273 Avoid release to the environment.

Disposal

P501 Dispose of contents/ container to a licensed hazardous waste disposal facility in

accordance with all applicable regulations.

2.3 Other hazards

None known.

Section 3: Composition/information on ingredients

3.1 Substance

Not applicable.

3.2 Mixtures

Name	Product identifier	Regulation (EC) No 1272/2008	%
2-butoxyethanol		Acute Tox 4 - H302, Acute Tox 4 - H312, Acute Tox 4 - H332, Skin Irrit.2 - H315, Eye Irrit.2A - H319	1-5%
Benzyl-C12-14-alkyldimethylammonium chlorides		Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410, Acute Tox 4 - H302, Skin Corr. 1B - H314, Eye Dam. 1 - H318	0.1-0.9%
etidronic acid	CAS-No.: 2809-21-4 EC No.: 220-552-8	Me Corr 1 - H290 Acute Tox 4 - H302 Eve Dam 1 - H318	
sodium hydroxide	CAS-No.: 1310-73-2 EC No.: 215-185-5	Skin Corr. 1A - H314	0.1-0.9%

The full text for all hazard statements are displayed in section 16.

Composition comments The data shown are in accordance with the latest EC Directives.

Benzyl-C12-14-alkyldimethylammonium chlorides: M-Factor acute=10, M-Factor chronic = 1.

Section 4: First aid measures

4.1 Description of first aid measures

General information Provide general first aid, rest, warmth and fresh air. As a general rule, in case of doubt or if

symptoms persist, always call a doctor. Seek medical attention for all burns and eye injuries, regardless how minor they may seem. First aid personnel must be aware of own risk during

escue.

Inhalation Remove person to fresh air and keep comfortable for breathing. If not breathing, give

artificial respiration. If breathing is difficult, give oxygen. Seek medical attention.

Ingestion If this product is ingested, remove victim immediately from source of exposure. Rinse mouth

thoroughly. Do not induce vomiting. Provide fresh air, warmth and rest. Get medical

attention. Never give anything by mouth to an unconscious person.

Skin contact Remove victim immediately from source of exposure. Remove contaminated clothing, shoes

and jewelry and wash before reuse. Wash the skin immediately with water. Obtain medical

attention if irritation persists or if blistering occurs.

Eye contact Do not rub eye. If this product contacts the eyes, gently flush eyes with water for at least

fifteen (15) minutes, lifting the upper and lower eyelids occasionally. Remove contact lenses if present and easy to do so. Avoid contaminating unaffected eye. Seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

InhalationInhalation of mist or vapor may cause respiratory tract irritation.IngestionSwallowing may result in irritation or burns of the mouth and throat.Skin contactProlonged contact may cause redness, irritation and dry skin.

Eye contact May cause temporary eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Section 5: Firefighting measures

5.1 Extinguishing media

Extinguishing media Use fire-extinguishing media appropriate for surrounding materials. This product is not

flammable.

Unsuitable extinguishing media High volume water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products When heated, toxic and corrosive vapours/gases may be formed. During fire, toxic gases (CO,

CO2) are formed.

Unusual fire & explosion hazards

Specific hazards

No unusual fire or explosion hazards noted.

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).

5.3 Advice for firefighters

Special fire fighting procedures If possible, fight fire from protected position. Avoid breathing fire vapours. Ventilate closed

spaces before entering them. Containers close to fire should be removed immediately or

cooled with water if safe to do so.

Protective equipment for firefighters Fire-fighters should wear appropriate protective equipment and self-contained breathing

apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard

EN 469 will provide a basic level of protection for chemical incidents.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Wear protective clothing as described in Section 8 of this safety data sheet. Provide

adequate ventilation. Eliminate all sources of ignition. Avoid inhalation of vapours and contact with skin and eyes. In case of inadequate ventilation, use respiratory protection. Do not touch or walk through spilled material. If necessary evacuate surrounding areas.

For emergency responders Follow safe handling advice and personal protective equipment recommendations for normal

use of product.

6.2 Environmental precautions

Environmental precautions Do not discharge onto the ground or into water courses. Spillages or uncontrolled discharges

into watercourses must be IMMEDIATELY alerted to the Environmental Agency or other

appropriate regulatory body.

6.3 Methods and material for containment and cleaning up

Spill clean up methods Stop leak if possible without risk DO NOT touch spilled material! When dealing with a

spillage, wear necessary protective equipment. Absorb spillage with non-combustible, inert absorbent material. Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labelled container. Wash

thoroughly after dealing with a spillage.

6.4 Reference to other sections

Reference to other sections See section 1 for emergency contact. For personal protection, see section 8. For waste

 $disposal, see\ section\ 13.$

Section 7: Handling and storage

7.1 Precautions for safe handling

Handling Read and follow manufacturer's recommendations. Use proper personal protection when

handling (refer to Section 8). Do not handle broken packages without protective equipment. Keep away from heat, sparks and open flame. Avoid spilling, skin and eye contact. Do not

eat, drink or smoke when using the product. Wash thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Storage precautions Keep upright, locked up and out of reach of children. Keep the product in its original

container. Store in cool dry areas away from direct sunlight or sources of ignition. Keep

away from incompatible materials (see section 10).

Storage class Corrosive storage.

7.3 Specific end use(s)

Specific end use(s)The identified uses for this product are detailed in Section 1.2.Usage descriptionUse only according to directions. Replace and tighten cap after use.

Section 8: Exposure controls/Personal protection

8.1 Control parameters

Component	STD	TWA (8 Hrs)		STEL (15mins)		Notes
2-butoxyethanol	OEL	20 ppm	98 mg/m ³	50 ppm	246 mg/m ³	Sk, IOELV
2-butoxyethanol	WEL	25 ppm	123 mg/m ³	50 ppm	246 mg/m ³	Sk, BMGV
sodium hydroxide	OEL				2 mg/m ³	
sodium hydroxide	WEL				2 mg/m ³	

Ingredient comments

Ireland, Occupational Exposure Limits 2020.

WEL - Workplace Exposure Limits - EH40/2005 Workplace exposure limits.

8.2 Exposure Controls

Protective equipment



Engineering measures

Provide adequate ventilation, including appropriate local extraction, to ensure that the

defined occupational exposure limit is not exceeded.

Respiratory equipment

If ventilation is inadequate, suitable respiratory protection must be worn. EN 136/140/145/143/149. The specific respirator selected must be based on contamination levels

found in the work place. Where risk assessment shows air-purifying respirators are appropriate a full face respirator conforming to EN143 should be used, and suitable respirator cartridges as a backup to engineering controls. Use type ABEK (EN 14387)

respirator cartridges. Consult manufacturer for specific advice.

Hand protection

Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374) is recommended. (EU Directive 89/686/EEC). Gloves must be inspected prior to use. Suggested material: Butyl-rubber. Minimum layer thickness: 0.7mm.

 $\label{lem:minimum} \mbox{Minimum breakthrough time / gloves: 480 min. Consult manufacturer for advice.} \\ \mbox{Selection of the glove material depends on consideration of the penetration times, rates of } \\ \mbox{Minimum breakthrough time / gloves: 480 min. Consult manufacturer for advice.} \\ \mbox{Selection of the glove material depends on consideration of the penetration times, rates of } \\ \mbox{Minimum breakthrough time / gloves: 480 min. Consult manufacturer for advice.} \\ \mbox{Minimum breakthrough time / gloves: 480 min. Consult manufacturer for advice.} \\ \mbox{Minimum breakthrough time / gloves: 480 min. Consult manufacturer for advice.} \\ \mbox{Minimum breakthrough time / gloves: 480 min. Consult manufacturer for advice.} \\ \mbox{Minimum breakthrough time / gloves: 480 min. Consult manufacturer for advice.} \\ \mbox{Minimum breakthrough time / gloves: 480 min. Consult manufacturer for advice.} \\ \mbox{Minimum breakthrough time / gloves: 480 min. Consult manufacturer for advice.} \\ \mbox{Minimum breakthrough time / gloves: 480 min. Consult manufacturer for advice.} \\ \mbox{Minimum breakthrough time / gloves: 480 min. Consult manufacturer for advice.} \\ \mbox{Minimum breakthrough time / gloves: 480 min. Consult manufacturer for advice.} \\ \mbox{Minimum breakthrough time / gloves: 480 min. Consult manufacturer for advice.} \\ \mbox{Minimum breakthrough time / gloves: 480 min. Consult manufacturer for advice.} \\ \mbox{Minimum breakthrough time / gloves: 480 min. Consult manufacturer for advice.} \\ \mbox{Minimum breakthrough time / gloves: 480 min. Consult manufacturer for advice.} \\ \mbox{Minimum breakthrough time / gloves: 480 min. Consult manufacturer for advice.} \\ \mbox{Minimum breakthrough time / gloves: 480 min. Consult manufacturer for advice.} \\ \mbox{Minimum breakthrough time / gloves: 480 min. Consult manufacturer for advice.} \\ \mbox{Minimum breakthrough time / gloves: 480 min. Minimum breakthrough time / gloves: 480 min. Minimum breakthrough time / gloves: 480 min. Minimum breakthrough time$

diffusion and degradation, and concentration specific to the workplace. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and

good laboratory practices.

Eye protection Wear safety goggles or face shield to prevent any possibility of eye contact. Use equipment

for eye protection tested and approved under appropriate government standards such as EN

166(EU).

Other protection

Wear appropriate clothing to prevent skin contact. The selected clothing must satisfy the European norm standard EN 943. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been coiled must be weeked.

soiled must be washed.

Hygiene measures Observe normal hygiene standards. Wash promptly if skin becomes contaminated. When

using do not eat, drink or smoke. Wash hands after use.

Process conditions Ensure that eye flushing systems and safety showers are located close by in the work place.

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

AppearanceLiquid.ColourBlue. Clear.

Odour Slight. Characteristic.

Odour threshold - lower No information available as testing has not been completed.

Odour threshold - upper No information available as testing has not been completed.

pH-Value, Conc. Solution 9.0 - 10.0

pH-Value, Diluted solution Not applicable as the product is a concentrated solution.

Melting point No information available as testing has not been completed.

Initial boiling point and boiling

range

No information available as testing has not been completed.

Flash point Non-Flammable

Evaporation rate No information available as testing has not been completed.

Flammability state Not applicable as the product is not flammable.

Flammability limit - lower(%) Not applicable as the product is not flammable.

Flammability limit - upper(%) Not applicable as the product is not flammable.

Vapour pressure No information available as testing has not been completed.

Vapour density (air=1) No information available as testing has not been completed.

Relative density 1.00 - 1.01 kg/l (at 20°C)

Bulk density Not applicable as the product is a liquid.

Solubility Soluble in water.

Decomposition temperature No information available as testing has not been completed.

Partition coefficient; n-

Octanol/Water

Not applicable as the product is a mixture.

Auto ignition temperature (°C) Not applicable as the product is not flammable.

Viscosity No information available as testing has not been completed.

Explosive properties Not classified as explosive.

Oxidising properties The product does not meet the criteria to be classified as oxidising.

9.2 Other information

Molecular weight Not applicable as the product is a mixture.

Volatile organic compoundNo information available as testing has not been completed.

Other information None noted.

Section 10: Stability and reactivity

10.1 Reactivity

Reactivity Reaction with: Strong oxidising agents.

10.2 Chemical stability

Stability Stable under normal temperature conditions and recommended use.

10.3 Possibility of hazardous reactions

Hazardous reactionsAvoid strong oxidizers.Hazardous polymerisationWill not polymerise.Polymerisation descriptionNot applicable.

10.4 Conditions to Avoid

Conditions to avoid Heat, sparks, open flames, temperature extremes and direct sunlight.

10.5 Incompatible materials

Materials to avoid Avoid oxidising agents. Do not mix with other chemicals unless listed on directions.

10.6 Hazardous decomposition products

Hazardous decomposition products Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or

vapours

Section 11: Toxicological information

11.1 Information on hazard classses as defined in Regulation (EC) No. 1272/2008

Toxicological information No toxicological information for the overall finished product.

Acute toxicity (Oral LD50)No information available as testing has not been completed.Acute toxicity (Dermal LD50)No information available as testing has not been completed.Acute toxicity (Inhalation LD50)No information available as testing has not been completed.

Serious eye damage/irritation May cause temporary eye irritation.

Skin corrosion/irritation The product is not classified as a skin corrosion/irritation hazard.

Respiratory sensitisationThe product is not classified as a respiratory hazard. **Skin sensitisation**The product is not classified as a skin sensitisation hazard.

Germ cell mutagenicity The product is not classified as a mutagen.

Carcinogenicity The product is not classified as a carcinogen hazard.

Specific target organ toxicity - Single exposure:

STOT - Single exposure The product is not classified as a single exposure specific target organ toxin.

 $Specific \ target \ organ \ toxicity \ \hbox{-} \ Repeated \ exposure:$

STOT - Repeated exposure The product is not classified as a repeat exposure specific target organ toxin.

InhalationInhalation of mist or vapor may cause respiratory tract irritation.IngestionSwallowing may result in irritation or burns of the mouth and throat.Skin contactProlonged contact may cause redness, irritation and dry skin.

Eye contact May cause temporary eye irritation.

Waste management When handling waste, consideration should be made to the safety precautions applying to

handling of the product.

 $\label{eq:Routes of entry} \textbf{Eyes, skin, ingestion or inhalation.}$

Target organs Eyes, skin, digestive system, respiratory system.

Aspiration hazards: The product is not classified as an aspiration hazard. **Reproductive toxicity:** The product is not classified as a reproductive hazard.

Name	LD50 oral	LD50 dermal	LD50 inhalation
2-butoxyethanol	1300.00mg/kg Rat		
Benzyl-C12-14-alkyldimethylammonium chlorides	397.50mg/kg Rat	3412.00mg/kg Rabbit	
etidronic acid	2400.00mg/kg Rat	>7940.00mg/kg Rabbit	

11.2 Information on other hazards

Information on other hazards None known.

Section 12: Ecological information

12.1 Toxicity

Acute toxicity - FishNo information available as testing has not been completed.Acute toxicity - Aquatic invertebratesNo information available as testing has not been completed.Acute toxicity - Aquatic plantsNo information available as testing has not been completed.Acute toxicity - MicroorganismsNo information available as testing has not been completed.Chronic toxicity - FishNo information available as testing has not been completed.

Chronic toxicity - Aquatic

invertebrates

No information available as testing has not been completed.

Chronic toxicity - Aquatic plants

Chronic toxicity - Microorganisms

Ecotoxicity

No information available as testing has not been completed.

No information available as testing has not been completed. The product contains a substance which is harmful to aquatic life with long lasting effects.

Eco toxilogical information The product contains a substance which is harmful to a quatic organisms.

12.2 Persistence and degradability

Degradability

The degradability of the product has not been stated.

Biological oxygen demand Chemical oxygen demand

No information available as testing has not been completed. No information available as testing has not been completed.

12.3 Bioaccumulative potential

Bioaccumulative potential **Bioaccumulation factor**

No data available on bioaccumulation. No information available as testing has not been completed.

Partition coefficient; n-

Not applicable as the product is a mixture.

Octanol/Water

12.4 Mobility in soil

Mobility Soluble in water.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment The product does not contain any PBT or vPvB Substances.

12.6 Endocrine disrupting properties

Endocrine disrupting properties

The product does not contain any substances with endocrine disrupting properties at a

concentration above or equal to 0.1%.

12.7 Other adverse effects

Other adverse effects No information available.

Name	Acute toxicity (Fish)	Acute toxicity (Aquatic invertebrates)	Acute toxicity (Aquatic plants)
2-butoxyethanol	LC50 96 Hours 1474.00mg/l Onchorhynchus mykiss (Rainbow Trout)	O, 1	EC50 72 Hours 1840.00mg/l Selenastrum Capricornutum
lefidronic acid	LC50 96 Hours 868.00mg/l Lepomis macrochirus (Bluegill)	EC50 48 Hours 527.00mg/l Daphnia magna	

Section 13: Disposal considerations

Waste management When handling waste, consideration should be made to the safety precautions applying to

handling of the product.

13.1 Waste treatment methods

Disposal methods Dispose of waste and residues in accordance with local authority requirements.

Section 14: Transport information

14.1 UN number or ID number

UN no. (ADR) Not applicable. UN no. (IMDG) Not applicable. UN no. (IATA) Not applicable.

14.2 UN proper shipping name

ADR proper shipping name Not applicable. Not applicable. IMDG proper shipping name Not applicable. IATA proper shipping name

14.3 Transport hazard class(es)

ADR class Not applicable. IMDG class Not applicable. IATA class Not applicable.

Transport labels Not applicable

14.4 Packing group

ADR/RID/ADN packing group Not applicable.

IMDG packing group Not applicable.

IATA packing group Not applicable.

14.5 Environmental hazards

ADR No IMDG No IATA No

14.6 Special precautions for user

EMS Not applicable.
Emergency action code Not applicable.
Hazard no. (ADR) Not applicable.
Tunnel restriction code Not applicable.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/Legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. The UN Globally Harmonized System (GHS) Safety Data Sheet format (Annex IV) is implemented as Annex II of REACH EU No 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals

(REACH).

Approved code of practice Workplace Exposure Limits Guidance Note EH40/2005.

2020 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations (2001-2015) and the Safety, Health and Welfare at Work (Carcinogens)

Regulations (2001-2019)

15.2 Chemical safety assessment

Chemical safety assessment No chemical safety assessment has been carried out.

Section 16: Other information

Revision comments

General information This Safety Data Sheet is in accordance with Reach Regulation (EC) No 453/2010.

This is a second issue. [1]Information updated. [2]Information updated. [3]Information updated. [4]Information updated. [5]Information updated. [7]Information updated. [8]Information updated. [11]Information updated. [11]Information

updated. [12]Information updated. [15]Information updated.

Revision date 26 February 2021 **Supersedes date** 05 July 2017

Revision 2

Safety data sheet status Approved.

Hazard statements in full

H302 Harmful if swallowed.H312 Harmful in contact with skin.

H315	Causes skin irritation.
Н319	Causes serious eye irritation.
Н332	Harmful if inhaled.
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.
H314	Causes severe skin burns and eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H290	May be corrosive to metals.
H413	May cause long lasting harmful effects to aquatic life.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.